### Washington County Regional Ambulance Authority



Steve Harrison 645 S. School Ave. Fayetteville, AR 72701

Phone: 479. 521.5801

## **INVITATION TO BID**

**INVITATION TO BID:** 3 - Type II Ambulance Vans

DEADLINE: Thursday, March 8, 2023 before 2:00 PM, Local time

**DELIVERY LOCATION:** 645 S. School Ave., Fayetteville, AR 72701 **PURCHASING AGENT:** Rick Hall CFO, rick.hall@centralems.org

DATE OF ISSUE AND ADVERTISEMENT: Friday, February 19, 2023

# INVITATION TO BID 3 - Type II Ambulance Vans

No late bids will be accepted. Bids shall be submitted in sealed envelopes labeled with the name and address of the bidder.

All bids shall be submitted in accordance with the attached Central EMS specifications and bid documents attached hereto. Each bidder is required to fill in every blank and shall supply all information requested; failure to do so may be used as basis of rejection.

The undersigned hereby offers to furnish & deliver the articles or services as specified, at the prices & terms stated herein, and in strict accordance with the specifications and general conditions of bidding, all of which are made a part of this offer. This offer is not subject to withdrawal unless upon mutual written agreement by the Proposer/Bidder and Central EMS.

Name of FSAM:		
Contact Person:	Title:	
E-Mail:		::
Business Address:		
City:	State:	Zip:
Signature:	D	ate:

Central EMS Type II Ambulance Vans Page 1 of 18

# Central EMS INVITATION TO BID 3 - Type II Ambulance Vans

Central EMS is seeking bids from qualified vendors for the purchase of 3 - Type II Ambulance vans.

All sealed bids are due by **Thursday, March 8, 2023 before 2:00 PM**, **Local Time**. All bids are due before the time stated. Late bids shall not be accepted. Central EMS reserves the right to deviate from the estimated purchase quantities. Bids will be opened and read aloud immediately following the stated deadline.

Bid forms can be downloaded from Central EMS's website at <a href="http://centralems.org">http://centralems.org</a>. All questions should be directed to Steve Harrison, (479)-521-5801, <a href="mailto:sharrison@centralems.org">sharrison@centralems.org</a>.

Central EMS reserves the right to reject any and all bids and to waive formalities deemed to be in Central EMS's best interest.

Pursuant to Arkansas Code Annotated §22-9-203 Central EMS encourages all *qualified* small, minority and women business enterprises to bid on and receive contracts for goods, services, and construction. Also, Central EMS encourages all general contractors to subcontract portions of their contract to *qualified* small, minority and women business enterprises.

Central EMS By: Steve Harrison P: 479.521.5801

sharrison@centralems.org

Date of advertisement: 02/19/2023

Central EMS
Type II Ambulance Van Bid Form

DELIVERY DATE OF COMPLETED UNITS: 90 CALENDAR DAYS FROM DATE OF ORDER F.O.B. Central EMS, 645 S. School Ave. Fayetteville, AR 72701

ITEM	DESCRIPTION	#	*PRICE EACH -	*EXTENDED PRICE
1	Type II Ambulance Vans	3	\$	\$

TOTAL BASE BID: \$\_\_\_\_\_

ALL BIDDERS SHALL COMPLETE THE "TECHNICAL SPECIFICATION" SECTION WITH BID. FAILURE TO SUBMIT A RESPONSE ON THE PROVIDED "TECHNICAL SPECIFICATION" FORM IN A COMPLETED FORMAT CAN RESULT IN BID REJECTION.

Bids shall be submitted on this bid form <u>in its entirety</u> AND <u>accompanied by descriptive literature</u> on the products being bid. Central EMS reserves the right to award this bid based on Central EMS's best interest at the time of product order.

### THIS BID FORM CONTINUES ON THE NEXT PAGE.

#### **EXECUTION OF BID -**

Actual specification of any deficient item shall be noted on the bid sheet or separate attachment. If specifications of item bid differ from provided literature, deviation shall be documented and certified by the manufacturer as a regular production option.

#### Upon signing this Bid, the bidder certifies that:

- 1. He/she has read and agrees to the requirements set forth in this proposal, including specifications, terms, standard conditions, and any pertinent information regarding the articles being bid on.
- 2. Unless otherwise noted and explained, the unit bid and listed meets or exceeds all of these requirements as specified by Central EMS.
- 3. Pursuant Arkansas Code Annotated §25-1-503, the Contractor agrees and certifies that they do not currently boycott Israel and will not boycott Israel during any time in which they are entering into, or while in contract, with any public entity as defined in §25-1-503. If at any time during contract the contractor decides to boycott Israel, the contractor must notify the contracted public entity in writing.
- 4. The Bidder can and will comply with all specifications and requirements for delivery, documentation and support as specified herein.
- 5. I, as an officer of this organization, or per the attached letter of authorization, am duly authorized to certify the information provided herein is accurate and true.
- 6. Bidder shall comply with all State and Federal Equal Opportunity and Non-Discrimination requirements and conditions of employment in addition to all federal, state, and local laws.
- 7. Bidder shall disclose any possible conflict of interest with Central EMS, including, but not limited to, any relationship with any Central EMS employee. Response shall disclose if a known relationship exists between any principal or employee of your firm and any Central EMS employee or official. If no relationship exists, this should also be stated in your response. Failure to disclose such a relationship may result in cancellation of a purchase and/or contract as a result of your response.

 _ 1.) NO KNOWN RELATIONSHIP EXISTS
 _ 2.) RELATIONSHIP EXISTS (Please explain):

- 8. As A bidder on this project, you are required to provide debarment/suspension certification indicating that you are in compliance with the below Federal Executive Order. Certification can be done by completing and signing this form.
  - **a.** Federal Executive Order (E.O.) 12549 "Debarment and Suspension" requires that all contractors receiving individual awards, using federal funds, and all sub-recipients certify that the organization and its principals are not debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any Federal department or agency from doing business with the Federal Government.

Unsigned bids will b	e rejected. Ite	ms marked * are mandatory for	r consideration.	
*NAME OF FIRM:		Purchase Order/Payment	uts shall be issued to thi	
*D/B/A or Corpor	ation Name			
*BUSINESS ADDR	ESS:			
		*STATE: _		
*PHONE:		FAX: _		
*E-MAIL:				
*BY: (PRINTED N	AME)			
*AUTHORIZED SIG	GNATURE: _			
*TITLE:				
DUNS NUMBER:			_ CAGE NUMBER:	
*TAX ID NUMBER	:			
Acknowledge Adde	ndums:			
Addendum No	Dated:	Acknowledged by	y:	
Addendum No	Dated:	Acknowledged by	y:	
Addendum No	Dated:	Acknowledged by	y:	
Addendum No	Dated:	Acknowledged by	y:	

**b.** Your signature below certifies that neither you nor your principal is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction

by any federal department or agency.

ALL BIDDERS SHALL COMPLETE THE "TECHNICAL SPECIFICATION" SECTION WITH BID. FAILURE TO SUBMIT A RESPONSE ON THE PROVIDED "TECHNICAL SPECIFICATION" FORM IN A COMPLETED FORMAT CAN RESULT IN BID REJECTION.

Central EMS Type II Ambulance Vans Page 5 of 18

#### 1. SUBMISSION OF BID & BID EVALUATION:

- a. Bids shall be reviewed following the stated deadline, as shown on the cover sheet of this document.
- b. Bidders shall submit bids based on documentation published by Central EMS.
- c. Bids shall be enclosed in **sealed envelopes or packages addressed** to Central EMS 645 S. School Ave, Fayetteville, AR 72701. The name, address of the firm and <u>Bid, RFP, or RFQ number shall be on the outside of the packaging as well as on any packages enclosed in shipping containers or boxes.</u>
- d. Central EMS will not be responsible for misdirected bids. Vendor should call Steve Harrison at 479.521.5801 to ensure correct receipt of bidding documents <u>prior</u> to opening time and date listed on the bid form.
- e. Bidders shall have experience in providing products and/or services of the same or similar nature.
- f. Bidder is advised that exceptions to any of the terms contained in this bid must be identified in its response to the bid. Failure to do so may lead Central EMS to declare any such term non-negotiable. Proposer's desire to take exception to a non-negotiable term will not disqualify it from consideration for award.
- g. Local time is defined as the time in Fayetteville, Arkansas on the due date of the deadline. Bids shall be received before the time as shown by the atomic clock.
- h. Bids will be evaluated and awarded based on the best interest of Central EMS. Central EMS reserves the right to award or reject bids in their entirety.

#### 2. WRITTEN REQUESTS FOR INTERPRETATIONS OR CLARIFICATION:

No oral interpretations will be made to any firms as to the meaning of specifications or any other contract documents. All questions pertaining to the terms and conditions or scope of work of this bid must be sent in writing via e-mail to the Purchasing Agent. Responses to questions may be handled as an addendum if the response would provide clarification to the requirements of the bid. All such addenda shall become part of the contract documents. Central EMS will not be responsible for any other explanation or interpretation of the proposed bid made or given prior to the award of the contract.

#### 3. **DESCRIPTION OF SUPPLIES AND SERVICES:**

Any reference to a particular brand or manufacturer is done in an effort to establish an acceptable level of quality for this project. Brands or manufacturers that are included in bid that are of at least equal quality, size, design, and specification as to what has been specified, will be acceptable for consideration only if approved by Central EMS. Central EMS reserves the right to accept or reject any requested equal.

#### 4. RIGHTS OF CENTRAL EMS BID PROCESS:

In addition to all other rights of Central EMS, under state law, Central EMS specifically reserves the following:

a. Central EMS of Fayetteville reserves the right to select the bid that it believes will serve the best interest of Central EMS.

Central EMS Type II Ambulance Vans Page 6 of 18

- b. Central EMS reserves the right to accept or reject any or all bids.
- c. Central EMS reserves the right to cancel the entire bid.
- d. Central EMS reserves the right to remedy or waive technical or immaterial errors in the invitation to bid or in bids submitted.
- e. Central EMS reserves the right to request any necessary clarifications, additional information, or data without changing the terms of the bid.

#### 5. **COSTS INCURRED BY BIDDERS:**

All expenses involved with the preparation and submission of bids to Central EMS, or any work performed in connection therewith, shall be borne solely by the bidder(s). No payment will be made for any responses received, or for any other effort required of, or made by, the bidder(s) prior to contract commencement.

#### 6. **CONFLICT OF INTEREST:**

- a. The bidder represents that it presently has no interest and shall acquire no interest, either direct or indirect, which would conflict in any manner with the performance or services required.
- b. All bidders shall promptly notify Steve Harrison, in writing, of all potential conflicts of interest for any prospective business association, interest, or other circumstance which may influence or appear to influence the bidder's judgment or quality of services being provided. Such written notification shall identify the prospective business association, interest or circumstance, the nature of which the bidder may undertake and request an opinion to Central EMS as to whether the association, interest or circumstance would, in the opinion of Central EMS, constitute a conflict of interest if entered into by the bidder. Central EMS agrees to communicate with the bidder its opinion via e-mail or first-class mail within thirty days of receipt of notification.

#### 7. WITHDRAWL OF PROPOSAL:

A bid may be withdrawn prior to the time set for the bid submittal, based on a written request from an authorized representative of the firm; however, a bid shall not be withdrawn after the time set for the bid unless approved Central EMS.

#### 8. LATE PROPOSAL OR MODIFICATIONS:

Bid modifications received after the time set for the bid submittal shall not be considered. Modifications in writing received prior to the deadline will be accepted. Central EMS will not be responsible for misdirected bids. Bidders should call Central EMS at (479) 521.5801 to insure receipt of their submittal documents prior to opening time and date listed.

#### 9. LOCAL, STATE, AND FEDERAL COMPLIANCE REQUIREMENTS:

- a. The laws of the State of Arkansas apply to any purchase made under this bid. Bidders shall comply with all local, state, and federal directives, orders and laws as applicable to this proposal and subsequent contract(s) including but not limited to Equal Employment Opportunity (EEO), Disadvantaged Business Enterprises (DBE), & OSHA as applicable to this contract.
- b. Pursuant to Arkansas Code Annotated §22-9-203 Central EMS encourages all *qualified* small, minority and women business enterprises to bid on and receive contracts for goods, services, and construction. Also, Central EMS encourages all general contractors to subcontract portions of their contract to *qualified* small, minority and women business enterprises.

#### 10. PROVISION FOR OTHER AGENCIES:

Unless otherwise stipulated by the bidder, the bidder agrees to make available to all Government agencies, departments, municipalities, and counties, the proposal prices submitted in accordance with said proposal terms and conditions therein, should any said governmental entity desire to buy under this proposal. Eligible Users shall mean all state of Arkansas agencies, the legislative and judicial branches, political subdivisions (counties, local district school boards, community colleges, municipalities, counties, or other public agencies or authorities), which may desire to purchase under the terms and conditions of the contract.

#### 11. COLLUSION:

The Proposer, by affixing his or her signature to this proposal, agrees to the following: "bidder certifies that his or her bid is made without previous understanding, agreement, or connection with any person, firm or corporation making a proposal for the same item(s) and/or services and is in all respects fair, without outside control, collusion, fraud, or otherwise illegal action."

#### 12. RIGHT TO AUDIT, FOIA, AND JURISDICITON:

- a. Central EMS reserves the privilege of auditing a vendor's records as such records relate to purchases between Central EMS and said vendor.
- b. Freedom of Information Act: Contracts and documents prepared while performing contractual work are subject to the Arkansas Freedom of Information Act. If a Freedom of Information Act request is presented to Central EMS, the (Contractor) will do everything possible to provide the documents in a prompt and timely manner as prescribed in the Arkansas Freedom of Information Act (A.C.A. §25-19-101 et. seq.). Only legally authorized photocopying costs pursuant to the FOIA may be assessed for this compliance.
- c. Legal jurisdiction to resolve any disputes shall be in Washington County, Arkansas with Arkansas law applying to the case.

#### 13. **INDEMNIFICATION:**

The successful bidder(s) agrees to indemnify Central EMS and hold it harmless from and against all claims, liability, loss, damage or expense, including but not limited to counsel fees, arising from or by reason of any actual or claimed trademark, patent or copyright infringement or litigation based thereon, with respect to the goods or any part thereof covered by this order, and such obligation shall survive acceptance of the goods and payment thereof by Central EMS.

#### 14. VARIANCE FROM STANDARD TERMS & CONDITIONS:

All standard terms and conditions stated in this request for bid apply to this contract except as specifically stated in the subsequent sections of this document, which take precedence, and should be fully understood by bidders prior to submitting a proposal on this requirement.

#### 15. ADA REQUIREMENT FOR PUBLIC NOTICES & TRANSLATION:

Persons with disabilities requiring reasonable accommodation to participate in this proceeding/event, should call 479.521.5800 (telecommunications device for the deaf), not later than seven days prior to the deadline. Persons needing translation of this document shall contact Central EMS immediately.

#### 16. PAYMENTS AND INVOICING:

The bidder must specify in their bid the exact company name and address which must be the same as invoices submitted for payment as a result of award of this bid. Further, the successful bidder is responsible for immediately notifying Central EMS of any company name change, which would cause invoicing to change from the name used at the time of the original bid. Payment will be made within thirty days of invoice received. Central EMS is very credit worthy and will not pay any interest, fees, or penalty for untimely payments. Payments can be processed through bidder's acceptance of Visa/Mastercard at no additional costs to Central EMS for expedited payment processing. Central EMS will not agree to any nonrefundable deposit or retainer that would remain property of the bidder.

Central EMS will pay the awarded bidder based on unit prices provided on invoicing. Progress payments will be made after approval and acceptance of work and submission of invoice. Payments will be made within 30 days of accepted invoice.

#### 17. CANCELLATION:

- a. Central EMS reserves the right to cancel this contract without cause by giving thirty (30) days prior notice to the Contractor in writing of the intention to cancel or with cause if at any time the Contractor fails to fulfill or abide by any of the terms or conditions specified.
- b. Failure of the contractor to comply with any of the provisions of the contract shall be considered a material breach of contract and shall be cause for immediate termination of the contract at the discretion of Central EMS.
- c. In addition to all other legal remedies available to Central EMS, Central EMS reserves the right to cancel and obtain from another source, any items and/or services which have not been delivered within the period of time from the date of order as determined by Central EMS.
- d. In the event sufficient budgeted funds are not available for a new fiscal period, Central EMS shall notify the vendor of such occurrence and contract shall terminate of the last day of the current fiscal period without penalty or expense to Central EMS.

#### 18. ASSIGNMENT, SUBCONTRACTING, CORPORATE ACQUISITIONS AND/OR MERGERS:

- a. The Contractor shall perform this contract. No assignment of subcontracting shall be allowed without prior written consent of Central EMS. If a bidder intends to subcontract a portion of this work, the bidder shall disclose such intent in the bid submitted as a result of this bid.
- b. In the event of a corporate acquisition and/or merger, the Contractor shall provide written notice to Central EMS within thirty (30) calendar days of Contractor's notice of such action or upon the occurrence of said action, whichever occurs first. The right to terminate this contract, which shall not be unreasonably exercised by Central EMS, shall include, but not be limited to, instances in which a corporate acquisition and/or merger represent a conflict of interest or are contrary to any local, state, or federal laws. Action by Central EMS awarding a proposal to a firm that has disclosed its intent to assign or subcontract in its response to the bid, without exception shall constitute approval for purpose of this Agreement.

#### 19. NON-EXCLUSIVE CONTRACT:

Award of this bid shall impose no obligation on Central EMS to utilize the vendor for all work of this type, which may develop during the contract period. This is not an exclusive contract. Central EMS specifically reserves the right to concurrently contract with other companies for similar work if it deems such an action

to be in Central EMS's best interest. In the case of multiple-term contracts, this provision shall apply separately to each item.

#### 20. LOBBYING:

Lobbying of selection committee members, Central EMS employees, or elected officials regarding request for proposals, request for qualifications, bids or contracts, during the pendency of bid protest, by the bidder/proposer/protestor or any member of the bidder's/proposer's/protestor's staff, and agent of the bidder/proposer/protestor, or any person employed by any legal entity affiliated with or representing an organization that is responding to the request for proposal, request for qualification, bid or contract, or has a pending bid protest is strictly prohibited either upon advertisement or on a date established by Central EMS and shall be prohibited until either an award is final or the protest is finally resolved by Central EMS; provided, however, nothing herein shall prohibit a prospective/bidder/proposer from contacting the Central EMS to address situations such as clarification and/or questions related to the procurement process. For purposes of this provision lobbying activities shall include but not be limited to, influencing or attempting to influence action or non-action in connection with any request for proposal, request for qualification, bid or contract through direct or indirect oral or written communication or an attempt to obtain goodwill of persons and/or entities specified in this provision. Such actions may cause any request for proposal, request for qualification, bid or contract to be rejected.

#### 21. ADDITIONAL REQUIREMENTS:

Central EMS reserves the right to request additional services relating to this bid from the bidder. When approved by Central EMS as an amendment to the contract and authorized in writing prior to work, the Contractor shall provide such additional requirements as may become necessary.

#### 22. ADD OR DELETE LOCATIONS OR SERVICES:

Central EMS reserves the right to unilaterally add or delete locations and/or services, either collectively or individually, at Central EMS's sole option, at any time after award has been made as may be deemed necessary or in the best interests of Central EMS. In such case, the Contractor(s) will be required to provide services to this contract in accordance with the terms, conditions, and specifications.

#### 23. INTEGRITY OF BID DOCUMENTS:

Bidders shall use the original bid form(s) provided by Central EMS and enter information only in the spaces where a response is requested. Bidders may use an attachment as an addendum to the bid form(s) if sufficient space is not available on the original form for the bidder to enter a complete response. Any modifications or alterations to the original documents by the bidder, whether intentional or otherwise, will constitute grounds for rejection of such response. Any such modifications or alterations a bidder wishes to propose shall be clearly stated in the bidder's response and presented in the form of an addendum to the original bid documents.

#### 24. OTHER GENERAL CONDITIONS:

a. Bidder is presumed to be familiar with all federal, state, and city laws, ordinances, and regulations which in any manner affect those engaged or employed in the Work, or the materials or equipment used, or that in any way affect the Work and shall in all respects comply with said laws, ordinances, and regulations. No claim of misunderstanding or ignorance on the part of Bidder or Proposer will in any way serve to modify the provisions of the contract. No representations shall be binding unless embodied in the contract.

Central EMS Type II Ambulance Vans Page 10 of 18

- b. Prices shall include all labor, materials, overhead, profit, insurance, shipping, freight, etc., to cover the products and services presented. *Sales tax shall not be included in the bid price*. Applicable Arkansas sales tax laws will apply when necessary but will not be considered in award of this project.
- c. Each bidder should state the anticipated number of days from the date of receipt of an order for delivery of services to Central EMS.
- d. Bidders must provide Central EMS with their bids signed by an employee having legal authority to submit bids on behalf of the bidder. The entire cost of preparing and providing responses shall be borne by the bidder.
- e. Central EMS reserves the right to request any additional information it deems necessary from any or all bidders after the submission deadline.
- f. The request for bid is not to be construed as an offer, a contract, or a commitment of any kind; nor does it commit Central EMS to pay for any costs incurred by bidder in preparation. It shall be clearly understood that any costs incurred by the Proposer in responding to this request for proposal is at the bidder's own risk and expense as a cost of doing business. Central EMS shall not be liable for reimbursement to the Proposer for any expense so incurred, regardless of whether or not the proposal is accepted.
- g. If products, components, or services other than those described in this bid document are proposed, the bidder must include complete descriptive literature for each. All requests for additional information must be received within five working days following the request.
- h. NOTE: Any uncertainties shall be brought to the attention of Steve Harrison immediately via e-mail (<a href="mailto:sharrison@centralems.org">sharrison@centralems.org</a>). It is the intent and goal of Central EMS to provide documents providing a clear and accurate understanding of the scope of work to be completed and/or goods to be provided. We encourage all interested parties to ask questions to enable all bidders to be on equal bidding terms.
- i. Any inquiries or requests for explanation in regard to Central EMS's requirements should be made promptly to Steve Harrison via e-mail (<a href="mailto:sharrison@centralems.org">sharrison@centralems.org</a>). No oral interpretation or clarifications will be given as to the meaning of any part of this request for proposal. All questions, clarifications, and requests, together with answers, if any, will be provided to all firms via written addendum. Names of firms submitting any questions, clarifications, or requests will not be disclosed until after a contract is in place.
- j. Any information provided herein is intended to assist the bidder in the preparation of proposals necessary to properly respond to this bid. The bid is designed to provide qualified Proposers with sufficient basic information to submit proposals meeting minimum specifications and/or test requirements, but is not intended to limit a bid's content or to exclude any relevant or essential data.
- k. Bidders irrevocably consent that any legal action or proceeding against it under, arising out of or in any manner relating to this Contract shall be prevailed by Arkansas law. Proposer hereby expressly and irrevocably waives any claim or defense in any said action or proceeding based on any alleged lack of jurisdiction or improper venue or any similar basis.
- I. The successful bidder shall not assign the whole or any part of this Contract or any monies due or to become due hereunder without written consent of Central EMS. In case the successful bidder assigns all or any part of any monies due or to become due under this Contract, the Instrument of assignment shall contain a clause substantially to the effect that is agreed that the right of the assignee in and to any monies due or to become due to the successful bidder shall be subject to prior liens of all persons, firms,

- and corporations for services rendered or materials supplied for the performance of the services called for in this contract.
- m. The successful bidder's attention is directed to the fact that all applicable Federal and State laws, municipal ordinances, and the rules and regulations of all authorities having jurisdiction over the services shall apply to the contract throughout, and they will be deemed to be included in the contract as though written out in full herein. The successful bidder shall keep himself/herself fully informed of all laws, ordinances and regulations of the Federal, State, and municipal governments or authorities in any manner affecting those engaged or employed in providing these services or in any way affecting the conduct of the services and of all orders and decrees of bodies or tribunals having any jurisdiction or authority over same. If any discrepancy or inconsistency should be discovered in these Contract Documents or in the specifications herein referred to, in relation to any such law, ordinance, regulation, order or decree, s/he shall herewith report the same in writing to Central EMS.
- 25. **INVOICING:** All invoices shall be presented to Central EMS with the minimum information listed below.
  - a. Product(s) delivered
  - b. Delivery date or the date of services
  - c. Name of Central EMS Employee that requested or picked up the goods, materials, or service
  - d. Bid Number that applies to the purchase and invoices. Amounts in the bid shall match invoicing.

#### 26. ATTACHMENTS TO BID DOCUMENTS: N/A

ALL BIDDERS SHALL COMPLETE THIS "TECHNICAL SPECIFICATION" SECTION WITH BID.

FAILURE TO SUBMIT A RESPONSE ON THIS "TECHNICAL SPECIFICATION" FORM IN A

COMPLETED FORMAT CAN RESULT IN BID REJECTION.

#### **BIDDING REQUIREMENTS:**

- NOTICE: THIS SECTION CAN BE COMPLETED IN THE FOLLOWING MANNER: When given a specification option containing a blank (example Y\_\_\_), bidder shall indicate by placing a "Y", a "check mark" or writing "yes" indicating yes if the accompanied specification is met. In the event a specification cannot be met, bidder shall indicate so by placing a "N", a "check mark" or writing in "no" and writing on Central EMS's bid forms how the specification is not met or how the unit(s) bid differ from what has been specified. Leaving item blank shall indicate bidder does not meet the listed specification and can result in bidder DISQUALIFICATION.
- Bidders shall NOT supply warranty papers for Central EMS to interpret whether a warranty specification is met or not.

#### 1. GENERAL -

- **1.1** All unit(s) bid shall meet or exceed the minimum requirements or they will be deemed incomplete and will not be considered for bid award.
- **1.2** All specifications written are to *minimums*, unless otherwise noted.

#### 2. MANUFATURER/MODEL -

2.1 Unit(s) bid shall be new, unused, and standard ambulance production model.

#### Description

Type II Ambulance Van

## **Options by Category**

Base (BAS)		
Comply	Name/Description	Quantity
Y N	Type II - Van	1.00
	Type II - Van	
Chassis (CHA)		
Comply	Name/Description	Quantity
	Chassis Model year 2022 - 2023 Chassis Model year 2022 - 2023	1.00
Y N	- 250/2500 Cargo Van - 250/2500 Cargo Van - 3.5L V6 24V Gasoline Engine -6-Speed Automatic Transmission -Front Wheel Drive -Wheelbase 159" -High-Roof Configuration 76" headroom -220-Amp Alternator -6-Way Driver and Passenger Seats with Lumbar Adjust -Passenger Sliding Door with Window -Heated Power Folding Mirrors -Cargo Partition with Sliding Window -Remote Keyless Entry -Rear Backup Camera -Heavy-Duty Suspension	1.00
	-Minimum 24-Gallon Fuel Tank -Engine Oil Cooler -Auxiliary Transmission Oil Cooler	

Emergency and Working Lights (EWL)

Comply	Name/Description	Quantity
Y N	Feniex Fusion-S GPL 60" Lightbar	1.00
	Feniex Fusion-S GPL 60" Lightbar, model #FS-6019 installed on cab roof with (12) forward	
	facing LED modules, (2) corner LED modules, and (2) end-cap LED modules.	
Y N	Grille Lights (4), LED	1.00
	Four (4) red LED in grille. (Viviox UltraThin)	
Y N	Forward Intersection Lights (2), LED	1.00
	Two (2) red intersection lights installed over forward wheelwells. (Viviox UltraThin)	
Y N	Forward Facing Mirror Lights (2), LED	1.00
	Two (2) red forward-facing LED lights installed on cab mirrors. (Viviox Hellfire H1200)	
Y N	Side Upper Emergency Lights	1.00
	Four (4) red LED upper emergency lights (two (2) on each side.) (Viviox A6200)	
Y N	Rearward Intersection Lights (2), LED	1.00
	Two (2) red intersection lights installed over rearward wheelwells. (Viviox UltraThin)	
Y N	Scene Lights, Four (4), Clear LED	1.00
	Four (4) upper LED scene lights (two (2) on each side.) (Viviox A6200)	
Y N	Rear Upper Warning Lights	1.00

Central EMS Type II Ambulance Vans Page 13 of 18

	Two (2) Viviox A6200 red LED lights installed above rear doors in outer positions and two (2)	
	amber Viviox Hellfire H1200 LED lights installed in center positions.	
Y N	Rear Lower Warning Lights	1.00
	Four (4) red LED warning lights installed low on rear doors for lower warning visibility.	2.00
	(Viviox UltraThin)	
Audible Warni	ng System (WRN)	
Comply	Name/Description	Quantity
Y N	Back-Up Alarm	1.00
' '\	Back up alarm (97dB) with no-override switch.	1.00
Y N	Feniex Storm Pro 200-watt Dual-Tone	1.00
	Feniex model C-4015 siren amplifier with 23 programmable siren tones, 200-watt output,	
	dual-tone capable, and PA microphone.	
Y N	Feniex Triton Series Speakers	1.00
	Two (2) Feniex Triton series 100-watt siren speakers installed in front bumper area wired to	
	Feniex Storm Pro 200-watt siren.	
Exterior Vehicl	le features (VFT)	
Comply	Name/Description	Quantity
Y N	OEM Exterior Mirrors	1.00
	OEM exterior mirrors.	
Y N	Undercoating Protection	1.00
	OEM Undercoating protection for chassis.	
Y N	Rear Bumper with Anti-skid Rear Flip-up Step	1.00
	Aluminum diamond plate rear bumper with anti-skid flip-up step.	
Y N	Anti-skid Side Steps	1.00
	Aluminum diamond plate anti-skid side steps installed below cab doors and curbside entry	
Delate and Deat	door with mudguards.	
Paint and Deco	als (DEC)	
Paint and Deco	-	Quantity
	Als (DEC)  Name/Description  Paint, OEM White	Quantity 1.00
Comply Y N	Als (DEC)  Name/Description  Paint, OEM White  Bright White Clear-Coat Exterior Paint.	1.00
Comply	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass	
Comply           Y N           Y N	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows.	1.00
Comply Y N	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none	1.00
Comply         Y N         Y N         Y N	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price.	1.00
Comply           Y N           Y N           Y N           Drivers Compa	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint.  Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows.  Graphics, none No striping/lettering/graphics included in quoted price.  Internet (CAB)	1.00 1.00 1.00
Comply           Y N           Y N           Y N           Drivers Compa           Comply	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price. Internal (CAB) Name/Description	1.00 1.00 1.00 <i>Quantity</i>
Comply           Y N           Y N           Y N           Drivers Compa	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint.  Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows.  Graphics, none No striping/lettering/graphics included in quoted price.  Internet (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket	1.00 1.00 1.00
Comply           Y N           Y N           Y N           Drivers Compa           Comply	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint.  Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows.  Graphics, none No striping/lettering/graphics included in quoted price.  Interest (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer	1.00 1.00 1.00 <i>Quantity</i>
Comply           Y N           Y N           Y N           Drivers Compa           Comply           Y N	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price. Internet (CAB) Name/Description Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation.	1.00 1.00 1.00 <i>Quantity</i> 1.00
Comply           Y N           Y N           Y N           Drivers Compa           Comply	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price. Internet (CAB)  Name/Description Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation. Console, Floor Mounted, Aluminum	1.00 1.00 1.00 <i>Quantity</i>
Comply           Y N           Y N           Y N           Drivers Compa           Comply           Y N	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint.  Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows.  Graphics, none No striping/lettering/graphics included in quoted price.  Interest (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation.  Console, Floor Mounted, Aluminum Powder-coated aluminum console installed on cab floor between seats with control center,	1.00 1.00 1.00 <i>Quantity</i> 1.00
Comply         Y N         Y N         Y N         Drivers Compa         Comply         Y N         Y N	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint.  Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows.  Graphics, none No striping/lettering/graphics included in quoted price.  Interest (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation.  Console, Floor Mounted, Aluminum  Powder-coated aluminum console installed on cab floor between seats with control center, master power switch, volt/amp meter, dual cup holders, and storage pocket.	1.00 1.00 1.00  Quantity 1.00
Comply           Y N           Y N           Y N           Drivers Compa           Comply           Y N	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price. Interest (CAB) Name/Description Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation. Console, Floor Mounted, Aluminum Powder-coated aluminum console installed on cab floor between seats with control center, master power switch, volt/amp meter, dual cup holders, and storage pocket. Control Center, Feniex 4200DL Full-function Controller	1.00 1.00 1.00 <i>Quantity</i> 1.00
Comply         Y N         Y N         Y N         Drivers Compa         Comply         Y N         Y N	Name/Description  Paint, OEM White Bright White Clear—Coat Exterior Paint.  Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows.  Graphics, none No striping/lettering/graphics included in quoted price.  Interest (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation.  Console, Floor Mounted, Aluminum  Powder-coated aluminum console installed on cab floor between seats with control center, master power switch, volt/amp meter, dual cup holders, and storage pocket.	1.00 1.00 1.00  Quantity 1.00
Comply         Y N         Y N         Y N         Drivers Compa         Comply         Y N         Y N	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price. Internet (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation.  Console, Floor Mounted, Aluminum Powder-coated aluminum console installed on cab floor between seats with control center, master power switch, volt/amp meter, dual cup holders, and storage pocket. Control Center, Feniex 4200DL Full-function Controller Feniex 4200DL full-function controller for all warning lights, scene lights, and siren controls	1.00 1.00 1.00  Quantity 1.00
Comply         Y N         Y N         Y N         Drivers Compa         Comply         Y N         Y N	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price. Internet (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation.  Console, Floor Mounted, Aluminum Powder-coated aluminum console installed on cab floor between seats with control center, master power switch, volt/amp meter, dual cup holders, and storage pocket. Control Center, Feniex 4200DL Full-function Controller Feniex 4200DL full-function controller for all warning lights, scene lights, and siren controls	1.00 1.00 1.00  Quantity 1.00
Comply         Y N         Y N         Y N         Drivers Compa         Comply         Y N         Y N	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price. Internet (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation.  Console, Floor Mounted, Aluminum Powder-coated aluminum console installed on cab floor between seats with control center, master power switch, volt/amp meter, dual cup holders, and storage pocket. Control Center, Feniex 4200DL Full-function Controller Feniex 4200DL full-function controller for all warning lights, scene lights, and siren controls	1.00 1.00 1.00  Quantity 1.00
Comply         Y N         Y N         Y N         Drivers Compa         Comply         Y N         Y N	Name/Description Paint, OEM White Bright White Clear—Coat Exterior Paint. Tinted Privacy Glass Tinted privacy glass for rear and curbside entry door windows. Graphics, none No striping/lettering/graphics included in quoted price. Internet (CAB)  Name/Description  Fire extinguisher (5 lbs.) ABC with bracket Fire extinguisher (5 lbs.) ABC with heavy duty bracket shipped loose for customer installation.  Console, Floor Mounted, Aluminum Powder-coated aluminum console installed on cab floor between seats with control center, master power switch, volt/amp meter, dual cup holders, and storage pocket. Control Center, Feniex 4200DL Full-function Controller Feniex 4200DL full-function controller for all warning lights, scene lights, and siren controls	1.00 1.00 1.00  Quantity 1.00

omply	Name/Description	Quanti
N	Full-Length Squad Bench, Second Patient Capable	1.0
	Full-length, all-aluminum squad bench installed on curbside with restraints to secure	
	second patient on full-size backboard. Includes full-length storage area for	
	backboard/scoop stretcher storage accessed from rear of vehicle.	
N	Squad Bench Cushion, Full-Length	1.0
	Full-length molded seat cushion	
N	Seating for Two (2) Passengers, 6-pts Safety Belts	1.0
	Seating for two (2) passengers, 6-pts safety belts with individual backrests	
N	Safety Net, Installed at Head-end of Squad Bench	1.0
	A heavy-duty, full-height safety net is installed at head-end of squad bench securely	
	fastened to ceiling, wall, and bench. Net constructed of 2" wide straps with quick-release	
	seatbelt-style fasteners.	
N	Sharps Container, Wall-Mounted	1.0
	Wall-mounted, hospital-style sharps container installed on curbside wall at head-end of	
	squad bench.	
	nfiguration (STR)	
omply	Name/Description	Quanti
N	Streetside Cabinet Wall, Aluminum	1.
	Full-length aluminum streetside cabinet wall with nine (9) enclosed cabinets and	
	monitor/defib storage area.	
N	Polycarbonate Clear Sliding Windows, CAAS Compliant	9.
	Streetside cabinets include polycarbonate clear sliding windows with CAAS compliant self-	
	latching hardware installed.	
N	Monitor/Defibrillator Storage Area with Slide-out Locking Tray	1.
	Streetside rear middle cabinet will be open with locking slide-out tray for installation of	
	customer-supplied monitor/defibrillator bracket.	
N	Glove Box Storage, Streetside	1.
	A three-box glove storage cabinet installed on streetside wall above action area. Cabinet to	
	include a single flip-up door with openings for glove access.	
N	Lower Streetside Cabinet, Full storage for Stairchair	1.
	Streetside lower medical cabinet includes a pocket for storage of full-size stair chair	
	accessed from rear of vehicle when door is open. Safety-webbing with seatbelt-style	
	latches installed over opening.	
	head (FWB)	
omply	Name/Description	Quant
N	Pass-through sliding window	1.
	Pass-through sliding window on front division for communication with cab.	
N	Narcotics Storage Box, Front Upper Bulkhead	1.
	Self-contained narcotics storage box recessed into front bulkhead with electronic lock and	
	key override.	
N	Lower Front ALS Cabinet Stack with Countertop	1.
	Dual-access ALS cabinet stack with countertop and adjustable shelf installed. Safety net to	
	be installed over cabinet opening facing rear of vehicle. Cabinet opening to curbside of	
	vehicle to remain open.	

ttendant Sea	t (AST)	
omply	Name/Description	Quanti
N	Wise Seating 3Pt. Vac-Formed Seamless, Swivel Base	1.0
	Wise 3Pts Vac-Formed Seamless Attendant Seat with locking Swivel Base and fore-aft	
	adjustment.	
N	Attendant Seat Installation Location	1.0
	Attendant Seat to be installed as far forward toward bulkhead as possible to maximize foot	
	space between seat base and head of cot.	
ot Configurat		
omply	Name/Description	Quanti
N	Stryker Yellow Safety Hook	1.
	Stryker yellow safety hook.	
N	Universal Floor Plate for Main Cot Fastener	1.0
	Universal floor plate for Stryker or Ferno cot mounts. Will accommodate antler style,	
	Performance Load, PowerLOAD, or INX. (Cot mount not included.)	
ear Control P		
omply	Name/Description	Quanti
AR-CTR	Switches with LED backlit pictogram - TYPE II	1.0
	Switches with LED backlit pictogram - TYPE II	
xygen (OXY)		
omply	Name/Description	Quanti
N	Oxygen System, Electronic with Emergency Bypass	1.
<del></del>	Oxygen system to include an electronic solenoid with emergency bypass valve installed	
	below action area countertop. Oxygen activation switch installed in action area switch	
	panel.	
N	Oxygen Compartment, Horizontal at curbside door	1.0
<del></del>	Horizontal Oxygen Compartment accessed thru curbside entry door for oxygen tank.	
N	Universal horizontal oxygen cylinder holder "K" or "M"	1.
<del></del>	Universal horizontal holder for main oxygen cylinder type "K" or "M".	
N	Oxygen Outlets, Three (3) Ohio-Style	1.
	Three (3) Ohio-style quick-connect oxygen outlets, two (2) in streetside action area, one (1)	
	on curbside wall.	
N	Oxygen Regulator, Digital, 50 PSI	1.
' '	Oxygen regulator (50PSI) installed in oxygen compartment for main cylinder. Includes	
	transducer for digital oxygen contents gauge installed in action area.	
N	Portable Oxygen Cylinder Holder, Sure-Lok	1.
' '	Sure-Lok Twin Dual-bottle portable oxygen cylinder bracket installed on floor at head-end	٠.
	of squad bench.	
uction (SUC)	or squad benom	
omply	Name/Description	Quanti
N	Suction System, Action Area	1.
<del></del>	Main suction system is located in front streetside action area.	
N	Thomas high flow vacuum pump	1.0
	Thomas high flow vacuum pump installed behind access panel on streetside wall.	
N	Vacuum outlets, Ohio-Style, Two (2)	1.0
	Vacuum outlets, Ohio-style with quick connects located one (1) in streetside action area	
	and one (1) on curbside wall near oxygen outlet.	
N	Vacuum regulator with disposable canister bracket	1.0

Central EMS Type II Ambulance Vans Page 16 of 18

Comply	Name/Description	Quantit
/ N	Power Inverter, Xantrex Freedom, True Sine, 1000W	1.0
	The inverter/charger provides AC power using the DC power from the conversion battery	
	bank. Unit will charge all battery banks and power all 120 volts AC outlets when the	
	external shoreline is connected.	
′ N	Auto Eject Power Inlet, 15 Amps, White	1.0
	Blue Sea Systems 7850-BSS Sure Eject 120 Volts AC, 15 Amps. Automatically disconnects	
	shoreline. Completely sealed. White cover with integrated Indicator light.	
/ N	Electrical Outlets, 120V AC	4.0
	120V AC hospital-grade electrical outlets installed as follows:	
	(2) Duplex in Streetside Action Area	
	(1) Curbside wall at Head of Squad Bench	
	(1) Forward Bulkhead Wall above ALS Countertop	
′ N	Electrical Outlet, 12V DC 20 amp, USB	1.0
	(2) 12V DC, 20-amp Duplex USB outlets installed in Streetside Action Area.	
N	Batteries, One (1) OEM, One (1) Additional	1.0
	One (1) OEM battery installed in OEM location. One (1) additional deep-cycle battery for	
	additional conversion power installed below streetside basewall cabinet and accessed thru	
	panel below action area countertop.	
N	Printed Circuit Board System - Type II	1.0
	Conversion Electrical – Printed Circuit Board system with tactile rocker switches - Type II.	
IVAC (CVC)		
omply	Name/Description	Quanti
N	Free-flow combo AC/heating unit tie-in to OEM	1.0
	Webasto free-flow combo air conditioning / heating unit tie-in to OEM on front bulkhead	
	with temperature and fan selector controls in action area.	
N	Exhaust fan, single	1.0
	One (1) exhaust fan for contaminated air. Activated by control switch in rear action area.	
nterior Lights	(ILG)	
omply	Name/Description	Quanti
N	LED Dome Lights, (6), Adjustable	7.0
	The six (6) LED ceiling lights have two (2) different intensities activated by rocker switches in	
	the main action area console.	
N	LED Night Lighting	1.0
	Seven (7) Red LED lights mounted on lower face of streetside basewall cabinet and curbside	
	squad bench to illuminate floor and one (1) LED dome light above attendant seat	
	illuminates red when Night Light switch activated.	
N	Action Area Light	1.0
	12" LED strip light with integrated switch installed at top of action area to illuminate action	
	area workstation. Operates independently of other lighting in patient compartment.	
N	LED Cabinet Lighting	1.0
	White LED strip lighting installed in all streetside cabinets for illumination. Lighting to be	
	switched in rear action area switch panel.	

Central EMS Type II Ambulance Vans Page 17 of 18

Comply	Name/Description	Quantity
Y N	Grab Bars, Stainless Steel	1.00
	Patient compartment grab bars, 1" diameter, stainless steel with welded stanchions	
	securely fastened to structural attachment points.	
Y N	Entry Assist Grab Bars, 22"	1.00
	Two (2) stainless steel entry grab bars, 22" each, mounted inside the patient compartment.	
	One (1) near the curbside entry door, and one (1) near the R2 rear entry door.	
Y N	Ceiling Mounted Grab Rail, One (1)	1.00
	One (1) ceiling mounted grab rail, full-length.	
Finish and Tri	m (FNS)	
Comply	Name/Description	Quantity
Y N	Rear Door Trim; Glove Box Storage, Cleaning Supply Storage	1.00
	Rear doors shall be completely trimmed with closeout panels and include a cleaning supply	
	storage caddy on streetside door and a four (4)-box glove storage caddy on curbside door.	
Y N	Altro Reliance 25, Midnight	1.00
	Altro Reliance 25 Midnight floor covering.	
Y N	Gray Upholstery	1.00
	Gray vinyl upholstery for seat and padding covering.	
Y N	ABS One-piece Ceiling	1.00
	One-piece molded ABS ceiling in Patient Compartment.	
Y N	General Vehicle Identification	1.00
	Vehicle general labels identification.	
Y N	CAAS Certification Label	1.00
	Vehicle to be built and certified to latest CAAS GVS standards with certification sticker	
	affixed inside main oxygen cylinder storage compartment.	
Functionality	(FCT)	
Comply	Name/Description	Quantity
Y N	Fire extinguisher ABC with heavy duty bracket, Installed	1.00
	Fire extinguisher (5 lbs) ABC with heavy duty bracket installed on streetside upper cabinet	
	accessible from rear doors.	
Y N	Two (2) recessed/flexible IV hooks in ceiling	1.00
	Two (2) recessed/flexible IV hooks in ceiling	
Exceptions		
Comply	Name/Description	Quantity
Y N	Exceptions	
Y N	Description Sheets Attached	